
No.



9400060

THE CONTRED STAYLES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHAML COME:

IJR Cooperative

Thereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED, PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE LATT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR TING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOUT OF THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'293'

In Testimonn Mixers, I have hereunto set my hand and caused the seal of the Mant Marieta Arctical Office to be affixed at the City of Washington, D.C. this thirty-first day of October in the year of our Lord one thousand nine hundred and ninety-five.

Allos.

Marsto A. Stanton

Commissioner Plant Variety Protection Office Agricultural Marketing Service An Fliscomon Secretary of Agriculture Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Office, OIRM, Room 404-W, Washington, D.C. 20250; and to the Office of Management and Budget, Paperwork Reduction Project (OMB #0581-0055), Washington, 20250.

U.S. DEPARTMENT OF AGRICULTURAL MARKE APPLICATION FOR PLANT VARIET (Instructions on	TING SERVICE Y PROTECTION	I CERTIFICATE	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held contidential until certificate is issued (7 U.S.C. 2426).
NAME OF APPLICANT(S) (as it is to appear on the Certificate)	3. VARIETY NAME		
FFR Cooperative		EXPERIMENTAL NO. 19315	293
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) 4112 East State Road 225 West Lafayette, IN 47906	om of Otto Alligations (Company) and the company of	5. PHONE (Include area code) 317/567-2115	PVPO NUMBER 9400060 F Dayle Jan. 12, 1994
6. GENUS AND SPECIES NAME	7. FAMILY NAME (Botanic	al)	Time N //: 20 4A.M. P.M.
Glycine max	Leguminosae		F Filing and Examination Fee:
8. CROP KIND NAME (Common Name) Soybean		Date of Determination	E \$ 2325.00
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGA			Can 6 1994
Corporation 11. IF INCORPORATED, GIVE STATE OF INCORPORATION		TE OF INCORPORATION	E Certificate Fee:
Wisconsin	16	960	De August 9, 1995
West Lafayette, IN 47906 14 CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Fol. a. X Exhibit A, Origin and Breeding History of the Variety. b. X Exhibit B, Novelty Statement. c. X Exhibit C, Objective Description of Variety. d. X Exhibit D, Additional Description of Variety. e. X Exhibit E, Statement of the Basis of Applicant's Ownerst f. X Seed Sample (2,500 viable untreated seeds). Date Seed g. X Filing and Examination Fee (\$2,150) made payable to "	nip. 1 Sample mailed to Plant V	se) /ariety Profection Office Januar	y 4, 1994
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SO Protection Act.)	_		e section 83(a) of the Plant Variety
YES (If "YES," answer items 16 and 17 be		O," skip to item 18 below) DITEM 16, WHICH CLASSES OF PRODUC	OTION REVOND RREEDED SEEDS
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS NUMBER OF GENERATIONS?	1		
YES X NO	. j Fou	INDATION REGISTI	ERED CERTIFIED
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VALUE O		ie:}	
19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR M YES (II "YES," give names of countries and dates) X NO	MARKETED IN THE U.S. OR C	OTHER COUNTRIES?	
20. The applicant(s) declare(s) that a viable sample of basic so request in accordance with such regulations as may be app. The undersigned applicant(s) is (are) the owner(s) of this uniform, and stable as required in section 41, and is entitle Applicant(s) is (are) informed that false representation her	licable. s sexually reproduced a ed to protection under the	novel plant variety, and believe ne provisions of section 42 of the F	es) that the variety is distinct, Plant Variety Protection Act.
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR 1 Norther	n Soybean	DATE
orighen f. popinson		h Director	January 4, 1994
SIGNATURE OF APPLICANT (Owner(s))	CAPACITY OR 1	NTLE .	DATE

14A. EXHIBIT A

ORIGIN AND BREEDING HISTORY OF THE VARIETY

'293' originated from a cross of 'Winchester' and 'Harper'. The initial cross was made at Battle Ground, IN in 1985 and the F_1 generation was grown in the field at Battle Ground, IN in the summer of 1986. The early generations of '293' were developed using a modified single seed descent selection method. The F_2 and F_3 generations were grown at Homstead, FL in the winter of 1986/87. Single plant selections were made in the F_4 generation at Brookston, IN in 1987. In 1988 individual F_5 early generation tests were planted and harvested at Brookston, IN.

'293' was first tested in preliminary tests in 1989 at four locations. It was tested in a six location advanced trial in 1990 and a six location elite trial in 1991. Preliminary seed increase was also begun in 1991. '293' was tested at six locations in 1992 and breeder seed was grown at this time. In 1993 '293' was tested in a nine location commercial trial.

'293' was first checked for uniformity and stability in the F_5 generation and subsequently in the F_7 , F_8 , and F_9 generations. During these observations the variety was shown to be uniform and stable. Since the establishment of breeder seed in 1992 and in each subsequent year of breeder seed production the variety has been uniform and stable. '293' is essentially free of contaminates at the present time.

14B. EXHIBIT B

NOVELTY STATEMENT

'293' is most similar to the variety 'Harper'.

'293' differs from 'Harper' in the following characteristics:

- 1. '293' has a tan colored pod while 'Harper' has a brown colored pod.
- 2. '293' carries both the Rpslb and Rps3 genes for resistance to Phytophthora root rot while 'Harper' has no major genes for resistance.
- 3. '293' is a maturity group II soybean while 'Harper' is a maturity group III soybean.

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.J.

·	AIV (Giycine max L.)	•
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
FFR Cooperative	19315	293
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo	(e)	FOR OFFICIAL USE ONLY
4112 East State Road 225		PVPO NUMBER
West Lafayette, IN 47906		9400060
Choose the appropriate response which characterizes the vain your answer is fewer than the number of boxes provided Starred characters * are considered fundamental to an adeq when information is available.	, place a zero in the first box v	below. When the number of significant digits when number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/W ratio > 1.2; L/T ratio = < 1.2) (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	No. of the second secon	
1 8 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bl	ack 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:	•	
! 1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wit 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons ('Coker Hampton 266A')	('Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

						· ·** ·** · ** · · · · · · · · · · · · ·		
		the stage			4 1	-		
11.	. LEAFL	ET SIZE:		in Holes grown				
	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')		m ('Corsoy 79'	; 'Gasoy 17')			•
12	. LEAF	COLOR:		<u></u>				
		1 = Light Green ('Weber'; 'York')	2 = Medius	m Green ('Cors	oy 79'; 'Braxt	on')		
	<u>[3</u>]	3 = Dark Green ('Gnome'; 'Tracy')	<u>~</u>					•
<u></u>	. FLOW	ER COLOR:			<u> </u>			
	2	1 = White 2 = Purple 3	= White with	n purple throat				
* 14.	. POD C	OLOR:						
	1	1 = Tan 2 = Brown 3 = 8	Black	·		· · · · · · · · · · · · · · · · · · ·		
× 15.	. PLANT	PUBESCENCE COLOR:						
	2	1 = Gray 2 = Brown (Tawny)	e le			india en la maria. La filia de la companione de la companione La companione de la compa		
16.	. PLANT	TYPES:						
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Interm	ediate ('Amcor	'; 'Braxton')	•		
4 . 47			<u> </u>	· .				
X 17.	. PLANT					* N	en salat en 1999.	, ž
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	2 = Semi-D	eterminate ('W	(ili')	•	e de la companya de La companya de la co	
★ 18.	MATUR	RITY GROUP:	· · · · · · · · · · · · · · · · · · ·					· · · · · · · · · · · · · · · · · · ·
	0 5	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIH	4 = I 12 = IX	5 = II 13 = X	6 = 111	7 = IV	8 = V	
	•	A Company		•				
★ 19.	DISEAS	E REACTION: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Re	sistant)				14.00 Sec.
	BACT	ERIAL DISEASES:						:
*	0	Bacterial Pustule (Xanthomonas phaseoli var. soje	nsis)					
*	0	Bacterial Blight (Pseudomonas glycinea)			•		Territoria.	· · · · · · · · · · · · · · · · · · ·
*	0	Wildfire (Pseudomonas tabaci)					÷	
	FUNGA	L DISEASES:						
*	0	Brown Spot (Septoria glycines)						
	<u> </u>	Frogeye Leaf Spot (Cercospora sojina)					To the	
*		Race 1 Race 2 Race 3	F	Race 4	Race 5	Other	(Specify)	· ·
		Target Spot (Corynespora cassiicola)				A second second		
4 - * *4		Downy Mildew (Peronospora trifoliorum var. man	shurica)				**	
		Powdery Mildew (Microsphaera diffusa)						
*		Brown Stem Rot (Cephalosporium gregatum)				•	•	4
		Stem Canker (Diaporthe phaseolorum var. caulivo	ra)				e grand to the second of the s	5

£3

. 19.	DISEAS	SE REACTION	V: (Enter 0 = Not	Tested; 1 = Susceptible	; 2 = Resistant) (Cont	inued)			
	FUN	GAL DISEASI	ES: (Continued)		en e	ur urtika. Tu	M.A. Martin Valley (1994). Taraharan	production of the second contract of the seco	
*	0	Pod and Ster	n Blight <i>(Diaporthe</i>	e phaseolorum var; soja	e)	1 (1) 1884 -		entral de la companya	
		Purple Seed	Stain <i>(Cercospora k</i>	cikuchii)					
		Rhizoctonia	Root Rot (Rhizoct	onia solani) .			•		
		Phytophthor	a Rot <i>(Phytophtho</i>	ra megasperma var. soj	ae)	. "		•	
*	2	Race 1	2 Race 2	2 Race 3	2 Race 4	2 Race 5	2 Race 6	2 Race 7	
	Rhizoctonia Root Rot (Rhizoctonia solani) Phytophthora Rot (Phytophthora megasperma var. sojae) Phytophthora Rot (Phytophthora megasperma var. sojae) Race 1								
	VIRA	L DISEASES	•		ing the second of the second o			, seekaa	
• .		Bud Blight (1	Tobacco Ringspot \	Virus)	A. 4.4	e et e			
		Yellow Mosa	ic (Bean Yellow Mo	osaic Virus)			en e		
*	0.	Cowpea Mos	aic (Cowpea Chloro	otic Virus)					
		Pod Mottle (i	Bean Pod Mottle V	irus)			•	• .	
*		Seed Mottle	(Soybean Mosaic V	irus)			•		
	NEMA	ATODE DISEA	ASES:	_	•				
		Soybean Cys	t Nematode <i>(Heter</i> i	odera glycines)		•			
*	1	NGAL DISEASES: (Continued) Pod and Stem Blight (Disporthe phaseolorum var; sojae) Pod and Stem Blight (Disporthe phaseolorum var; sojae) Pourpie Seed Stain (Corcospora kituchii) Rhitoctonia Root Rot (Rhitroctonia solari) Phytophthers Rot (Phytophthera megaperma var, sojae) Rece 1 2 Race 2 2 Race 3 2 Other (Specify) Race 8 2 Race 6 2 Race 7 Race 8 1 11, 13, 14, 15, 16, 18, 21, 22, 23, 25 ALL DISEASES: Bud Blight (Tobacco Rilesport Virus) Yellow Mossic (Rean Yellow Mossic Virus) Cowpea Mossic (Cowpea Chlorotic Virus) Pod Mottle (Bean Pod Mottle Virus) Seed Mostle (Seybean Mossic Virus) MATODE DISEASES: Solybian Cyst Nematode (Heterodera plycines) Race 1 1 Race 2 1 Race 3 1 Race 4 Other (Specify) Lence Nematode (Heterodera plycines) Race 1 1 Race 2 1 Race 3 1 Race 4 Other (Specify) Lence Nematode (Heterodera plycines) Northern Root Knot Nematode (Melolódogyne Hapla) Peanut Root Knot Nematode (Melolódogyne Hapla) Then Chorosis on Calcareour Soil Other (Specify) T REACTION: (Enter 0 = Not Tested: 1 = Susceptible; 2 = Resistant) Moxican Bean Beetle (Epilechna varivestis) Potalo Leat Hopper (Empasca fabel) Other (Specify) ATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED. RACTER NAME OF VARIETY Spec HARPER Seed Cost Luster NEBSOY spec HARPER Seed Seed Stee FFR 373 to FFR 352 Seed Stee FFR 373							
		Lance Nemat	ode (Hoplolaimus i	Colombus) ;	<u>.</u>		,		
*		Southern Ro	ot Knot Nematode	(Meloidogyne incognit	a)				
*									
							•		
•									
•	\mathbb{H}		*						
								•	
20. f	HYSIO	LOGICAL RE	SPONSES: (Enter	0 = Not Tested; 1 = St	ısceptible; 2 = Resista	nt}			
*		Iron Chlorosis	on Calcareous Soi	· ·	•	•			
		Other (Specif	y)	· · · · · · · · · · · · · · · · · · ·	,				
21. 1	NSECT	REACTION:	(Enter 0 = Not Tes	sted; 1 = Susceptible; 2	= Resistant)			-	
		Mexican Bean	Beetle (Epilachna	varivestis)					
		Potato Leaf H	opper (Empoasca i	fabae)	· · ·				
		Other (Specify	/) 						
22. II	NDICAT	E WHICH VA	RIETY MOST CL	OSELY RESEMBLES	THAT SUBMITTED.				
			Τ			TER	NAME C	F VARIETY	
PI	ant Shar	oe .	HARPER		Seed Coat I	uster	NEBSOY	e .	
L	eaf Shap	е		·	Seed Size		FFR 373		
	af Colo	r	FFR 352		Seed Shape		FFR 343		
Le	af Size		FFR 352	· · · · · · · · · · · · · · · · · · ·	Seedling Pig	mentation	+ 1		
					1	-		•	

FORM LMGS 470-57 (6-83)

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT , LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
-	· .			ŧ	•				Springer School
Submitted	138	1.4	.78 ·			42.9	18.9	18	
FFR 253 Name of Similar Variety	137	1.8	82			40.6	20:0	17	

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

JAN 0 6 1994

14D. EXHIBIT D

ADDITIONAL DESCRIPTION OF VARIETY

'293' is an late group II soybean variety. It has purple flowers, brown pubescence, tan colored pods, yellow seed, and a black hilum. '293' has incorporated the <u>Rpsl-b</u> and <u>Rps3</u> genes for resistance to Phytophthora root rot from the variety 'Winchester' and excellent lodging resistance from the variety 'Harper'. With these characteristics it is extremely well adapted to the area where late group II soybean varieties are grown.

8

STATEMENT OF THE BASIS OF APPLICANTS OWNERSHIP

'293' was bred by breeders employed by FFR Cooperative. Employees of FFR Cooperative have no claim or rights of ownership to '293'. Ownership of '293' belongs to FFR Cooperative.